

JC72302

Skytile Surface

Skytile Surface Linear IP20 1500mm LED 50W 4700K

Features & Benefits

- Outperforms 2x58W T8 fluorescent
- Secure anti-tamper design
- Shallow design
- ideal for lower mounting heights
- Easy to clean wipeable surface
- 1.5m wire suspension kit available
- 2 years standard warranty extends to 5 years when registered within the first year of purchase (See Website for terms and conditions)
- This product contains a light source of energy efficiency class G



General Information

Mounting	Surface Mounted
Trade Name	Skytile Surface Linear
Environment	Indoor
Suitable For Zones	Outside zone 2
Product Group	LED - Surface
Color Finish	White
Product Shape	Rectangular
Product Range	Skytile Surface
IK Rating	08
Overall Dimensions	1500 x 300 x 54 mm
Length (mm)	1500
Width (mm)	300
Height (mm)	54
Product Weight(kg)	7.4
Light Source	LED
Light Source Features	Cool White
Luminaire Accessories	Suspension kit (JC71311)
Recommended product location	Commercial / Retail Applications
Method of fix	Screws & Rawl Plugs or conduit mounting

Distance from lighted object	0.3 metres
IP Rating	IP20
Origin of manufacturer	Made in China
Warranty	5 Year Warranty (See Website for terms and conditions)
Driver manufacturer	Lifud
LED manufacturer/type	Hongli/4014
Lighting Product Type 1	Linear Lighting
Lighting Product Type 2	Surface Light
Customs Tariff code**	9405119090

Electrical

Voltage Rating	220-240
Primary Running Current(Amp)	0.35
Inrush current(Amps)	30
Operating Frequency Hz	50/60Hz
Secondary running current(mA)	1300
Constant Current or Constant Voltage	CC
Luminaire Circuit Wattage	50
Class	I
Total Harmonic Distortion (THD)%	20
EMC Compliant (EN55015)	Yes
Power Factor Correction	0.95
Input Electrical Connections	L.E.N terminal
Dimmable	No

Thermals

Thermal Cut Out	yes
Operating Temperature Range °C	-30 to +50

Performance Data

LED Life (Hours)*	36000
Energy Rating	This product contains a light source of energy efficiency class E
Actual Lumen Output	5100
Lumens Per Circuit Watt	105
Color Rendering Index	80-89
CRI: Ra	80
Correlated Color Temperature	4700K
Beam Angle °	120
LOR (Light Output Ratio) %	100
Photometry Available	Yes

Construction

Primary Material	Aluminium
------------------	------------------

Inner Diffuser
Heat Sink
Driver Housing




PMMA
Aluminium
Polycarbonate

Packaging

Product Packaged Weight(kg) **8.5**
Quantity Per Outer Carton **2**
Product Bar Code EAN-13 Number **5052544088520**

Standards & Approvals

Manufactured in accordance to **BS EN 60598-2-1**
CE Marked **Yes**
UKCA Marked **Yes**
Date code/Purchase order No. **Yes**
WEEE symbol **Yes**
Certificate Of Conformity **Available on request**
Accredited Members **LIA, ISO9001-2015, ISO14001-2015**



*Hours life stated is an indication of expected L70 chip and light output calculations when operating in optimum conditions. Product warranty period supports the full product during the term given. The L70 hours expectancy is not correlated with the full product warranty term, nor is it a representation of lumen depreciation during the warranty period.

**JCC Lighting Limited makes every effort to ensure that the Customs Tariff information in this document is timely and accurate. However, it's not possible for us to assure the absolute veracity and completeness of that information, as errors may occur. The placement of any inaccurate tariff information is completely unintentional. JCC Lighting Limited reserves the right, in its sole discretion, to correct any errors or omissions to the tariff code and to make any and all changes contained in this document at any time and without notice. It is the sole responsibility of the importer to ensure that the commodity code advised is correct for the products/goods being supplied by JCC Lighting Limited. JCC Lighting Limited does not assume any liabilities, losses, costs, and expenses arising out of or related to the importers use of this commodity code or the information related to the import of any JCC Lighting products.

JCC Lighting LTD, Lux Park, Chichester Business Park, City Fields Way, Tangmere, Chichester, West Sussex, PO20 2FT.
Sales: 01243 838999 (8am to 5pm Monday to Friday) Fax: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk
Company Registration Number: 03044848 | VAT Number: 918544112

